## Standardized Abbreviations South Carolina Department of Mental Health

- absent, negative

^ increase or high or elevated, increasing

' feet
'' inch(es)
# number

\$ money/dollars

% percent & and qd every day @ at + positive

+ positive < less than = equal

> greater than

A&D Alcohol and Drug, Alcohol/Drug
A&D/C Alcohol and Drug Commission

A&Ox4 Alert and Oriented to person, place, time and date

A/A African American
A/H Auditory Hallucination
A/O Alert and Oriented
A/V Auditory/Visual

A/V/T Auditory, Visual & Tactile
AA Alcoholics Anonymous
abd Abdomen, abdominal

ABMHC Aiken-Barnwell Mental Health Center

ac before meals

ACOA Adult Children of Alcoholics

ACSW Academy of Certified Social Workers
ACT Assertive Community Treatment
ADA Americans with Disabilities Act
ADAC Alcohol and Drug Abuse Commission

ADB As demonstrated by

adeq. Adequate

adjust. Adjustment/Adjusted/Adjusting
ADLs Activities of Daily Living
adm Admission/Admitted/s

admin. Administrative

adol Adolescent

ADR Adverse Drug Reaction AEB As Evidenced By

AFDC Aid to Families with Dependent Children
AIDS Acquired Immune Deficiency Syndrome
AIM Abnormal Involuntary Movements
AIMS Abnormal Involuntary Movement Scale
Al-Anon group for family members of alcoholics

ALD Assisted Living Device, Assisted Listening Device

alt alternate

Alt. S Alternative School

am morning

AMA Against Medical Advice

Amb ambulatory/ambulate/ambulance

amt amount

AOD Alcohol and Other Drugs

AOP MHC Anderson Oconee Pickens Mental Health Center

AP apical pulse APAP Tylenol appl. application approp. appropriate

approx approximate, approximately

appt. appointment

ARG Auditor Reliability Guide

Apr April

APRN Advanced Practice Registered Nurse

APS Adult Protective Services

apt. apartment ASA Aspirin

ASAP as soon as possible

ASL American Sign Language ASN, ADN Associate Degree in Nursing

ASSMT Mental Health Assessment by Non-Physician (the service)

assmt. Assessment (not the service)

assoc. association

Asst. Dir. Assistant Director

aud. auditory Aug August avg average

AWOL absent without leave

B Black
b/c because
b/f boyfriend
BA Bachelor of Arts

BC/BS Blue Cross/Blue Shield

BCMHC Berkeley Community Mental Health Center BCMHS Beckman Center for Mental Health Services

BCP birth control pill, pills benzos benzodiazepines

BEST Behavioral Emergency Stabilization Training

BHS Behavioral Health Screening

bid twice daily
b-i-l brother-in-law
bio biological
bldg building

BLM Bucco-Lingual-Masticatory

BM Bowel Movement
BMI Body mass index
BMod Behavior Modification

BO Body Odor BP, bp, B/P Blood Pressure

BPH G. Weber Bryan Psychiatric Hospital

BPS biopsychosocial

bro brother

BS Bachelor of Science

BS blood sugar

BSN Bachelor of Science in Nursing

BUN blood urea nitrogen BV blood volume bx Behavior

'caid Medicaid 'care Medicare C Caucasian

C&A Child and Adolescent
C.H.I. closed head injury
c/o complains of, care of
C/R Cancelled/Rescheduled
c/w consistent/compatible with
CA Cocaine Anonymous

Ca Cancer

CABG Coronary Artery Bypass Graft
CAD Coronary Artery Disease

CAF Child, Adolescent & Family Services

CAFAS Child & Adolescent Function Assessment Scale

CAMHC Columbia Area Mental Health Center

canc cancelled Cap capsule

CARF Commission for Accreditation of Rehabilitation Facilities

CBCL Child Behavior Check List CBC Complete Blood Count

CBHS Columbia Behavioral Health Systems

CBT Cognitive Behavioral Therapy

CC Clinical Counselor cc Cubic Centimeter CC, c.c. Chief Complaint

CCMHC Catawba Community Mental Health Center

CCU Coronary Care Unit

CDCMHC Charleston/Dorchester Community Mental Health Center CDI Certified Deaf Interpreter, Child-Directed Interaction

CDV Criminal Domestic Violence

CE&P Consultation, Education and Prevention

CECMHC Coastal Empire Community Mental Health Center

cert certification CG Caregiver

chem chemical, chemistry
CHF Congestive Heart Failure

chol cholesterol

CI Crisis Intervention

CID Client ID #

CIDI Composite International Diagnosis Inventory

cig cigarette

CI-MHS Crisis Intervention – Mental Health Service

CIS Client Information System

cl, clt, ct client

cm, CM Case Manager, Crisis Management

CMHC Community Mental Health Center

CNS Central Nervous System

Co county

COA Children of Alcoholics COC Continuity of Care

Coc. Cocaine

CODA child of deaf adult Co-Dep Co-Dependency

CBT Cognitive Behavioral Therapy
Cog Tx Cognitive Therapies/Treatment

comm community
comp compensatory
conc concentration
cond condition
conf conference

cont Continue/Continuous

cont'd Continued

COPD Chronic Obstructive Pulmonary Disease

COT Content of thought

CP chest pain

CPAP Continuous Positive Air Pressure
CPR cardiopulmonary resuscitation
CRCF Community Residential Care Facility

Crt Court

CSA Child Sexual Abuse c-section caesarean section CSN Clinical Service Note

CT scan Computerized Axiel Tomography scan

CU Crisis Stabilization Unit

CVA Cerebrovascular Accident (stroke)

CXR chest x-ray

d Day Divorced

D.O. Doctor of Osteopathic Medicine

d/cDiscontinueD/CDischarged/odisorderd/tdue to

d/v diarrhea and vomiting

d/w discussed with

DA Diagnostic Assessment
DAST Drug Abuse Screening Test

dau daughter db decibel

DBT Dialectical Behavior Therapy
DD developmentally disabled

DDD Disability Determination Division

DDSN Department of Disabilities & Special Needs DEA# Drug Enforcement Administration Number

Dec, dec December, decanoate

del delusions

dep depressed, dependence, dependent

detox detoxification

DFA Difficulty Falling Asleep
DFT Desire for Treatment

DHEC Department of Health and Environmental Control

diff. dx. differential diagnosis d-i-l daughter-in-law

Dir Director

disposition, dispense

DJJ Department of Juvenile Justice

DM Diabetes Mellitus

DMH Department of Mental Health DNKA Did Not Keep Appointment

DNR do not resuscitate
DO Detention Order
DOB Date of Birth

DOJ Department of Justice

Dr., Doc Doctor

DSA Difficulty Staying Asleep

DSM Diagnostic and Statistical Manual

DSM-IV-TR Diagnostic and Statistical Manual (current)

DSS Department of Social Services

DTR due to return
DTs delirium tremens

DUI driving under the influence
DUS driving under suspension
DV Domestic Violence

Dx, diag diagnosis

Dx. Imp. diagnostic impression

e.g. for example

ea each

EAP Employee Assistance Program
ECBI Eyberg Child Behavior Inventory

ECG, EKG Electrocardiogram

ECT Electro Convulsive Therapy

edu education

EEG Electroencephalogram or Electroencephalograph

elix elixir

EMA early morning awakening

EMDR Eye Movement Desensitization & Reprocessing

emer. emergency
EMG electromyogram
emp employment

EMR Electronic Medical Record

enc encouraged

ENT ears, nose and throat EOC episode of care

EPC Emergency Protective Custody EPS extrapyramidal symptoms

eq. equivalent er error

ER, ED emergency room/department

ES elementary school

esp especially est estimated

et, et al and, and others/and elsewhere

etc et cetera; and so forth

etiol etiology
ETOH, alc alcohol
eval evaluation
ex example
exam examination
exer exercise

f female

FAIRPP Focus Activity Intervention Response Progress Plan

F Hx family history

F father
F/B flashback
f/u follow-up
fam family

Fam Tx, FM TX, FT family therapy

FAS Fetal Alcohol Syndrome FBS fasting blood sugar

FCRB Foster Care Review Board FDA Food and Drug Administration

Feb February
FF foster father
f-i-l father-in-law

fl fluid fl oz fluid ounce

FM foster mother, Family

FOI flight of ideas
FOO family of origin
Freq frequency
Fri Friday

FS Family Support

ft foot fx fracture

g. max gluteus maximus

g/f girlfriend

GA Gambler's Anonymous

GAF Global Assessment of Functioning

GAIN Global Appraisal of Individual Needs – short screener

GAL Guardian Ad Litem

Gal. gallons
GB gallbladder

GED Graduate/General Equivalency Diploma
GERD Gastro Esophageal Reflux Disease

GF grandfather
GI gastrointestinal
Glu glucose
GM grandmother

gm gram

GMHC Greenville Mental Health Center

GP grandparents

GP general practitioner

gp group

GP TX, Gp Tx, GT group therapy

gr Grain grad graduate

GSW gunshot wounds

gtt drop

GU genito-urinary GYN gynecology

h Husband
H Hallucinations
H/A Headache
h/o History of
h2o water

Hal Dec Haldol Decanoate

HAV, HBV, HCV Hepatitis A Virus, Hepatitis B Virus, Hepatitis C Virus

HBP High Blood Pressure

Hct Hematocrit

HEENT head, eyes, ears, nose, throat

Hgb hemoglobin

HHS Health and Human Services

HI Homicidal Ideation

HIPAA Health Insurance Portability and Accountability Act

Hisp Hispanic
Hisp m Hispanic Male
Hisp f Hispanic Female

HIV Human Immunodeficiency Virus

hm vst home visit

HMGH High Management Group Home

HMO Health Management/Maintenance Organization

HOH-L Hard of Hearing-Left HOH-R Hard of Hearing-Right

Hosp Hospital

HPH Harris Psychiatric Hospital

Hr heart rate
Hr hour(s)

HRT hormone replacement therapy

Hs Hour of sleep/bedtime

HS high school

HS grad high school graduate

ht height
HTN Hypertension
Hx, hx History

HxPI History of Present illness

hyg hygiene hyst hysterectomy

i.e. that is

ICA Initial Clinical Assessment

ICD9 International Classification of Diseases

ICE Initial Clinical Evaluation

ICFMR Intermediate Care Facility-Mental Retardation

ICU Intensive Care Unit ID Identification, identify

IDDM Insulin Dependent Diabetes Mellitus

if nec if necessary

ILS Independent Living Skills

IM Intramuscular

IMD Institute of Mental DiseaseIMR Illness Management & Recovery

IND TX, Ind Tx, IT Individual Therapy

ind, Ind individual

indep independence, independent Indg Med(s) indigent medication(s)

information info Injection Inj, inj Inpatient inpt ins Insurance insufficient insuff intell intelligence interpreter Interp involuntary invol

IOP Intensive Outpatient Program

IOR Ideas of reference IP Identified Patient

IPS Individual Placement Support

IQ Intelligence Quotient

irreg irregular

IS Interagency Staffing

ISCEDC Interagency System of Care for Emotionally Disturbed

Children

ITP Individual Treatment Plan

IV Intravenous

Jan January

JrHS Junior High School Jud Adm judicial admission

Jun June juv juvenile

KCl Potassium Chloride

kg kilogram

L left

Lab laboratory lb(s) pound (s)

LBW low birth weight

LCCMHC Lexington County Community Mental Health Center

LCS Lead Clinical Staff
LD Learning Disability
LFT liver function test(s)

lg large Li Lithium

LiCo Lithium Carbonate

liq liquid

LISW Licensed Independent Social Worker

LISW-AP Licensed Independent Social Worker, Advanced Practice LISW-CP Licensed Independent Social Worker, Clinical Practice

LLE left lower extremity
LLQ left lower quadrant
LM Left message

LMD local medical doctor

LMFT Licensed Marriage and Family Therapist

LMP Last Menstrual Period

LMSW Licensed Master Social Worker

LMTCB left message to call back

LoA leave of absence

LOA Looseness of Association LOF Level of Functioning los length of stay

LPC Licensed Professional Counselor LPHA Licensed Practitioner of Healing Arts

LPN Licensed Practical Nurse LSD Lysergic Acid Diethylamide

LT long term LTD; ltd Limited

LUE left upper extremity

LUOQGM Left Upper Outer Quadrant Gluteus Maximus

LUQ left upper quadrant LVM left voice mail

m male
M Mother
marr married

M. Div. Master of DivinityM.A. Masters of ArtsM.Ed. Master of Education

MAOI Monoamine Oxidase Inhibitor
MAR Medication Administration Record

Mar March Marijuana marj mat maternal mathematics math Maximum max Medicaid M'caid Medicare M'care MD Medical Doctor

MDD Major Depressive Disorder
MDE Major Depressive Episode
med admin medication administration

med ck medication check med comp medication compliance

med hx medical history med(s) medication(s) Med. Mind. Medication Minder

MEM memory Mental Health Center MHC

mEq' Millequivalent(s) meth Methadone

MFQ Moods and Feelings Questionnaire

mg Milligram

MGAunt Maternal Great Aunt

MGF Maternal Grandfather
MGGF Maternal Great Grandfather
MGGM maternal great grandmother
MGM Maternal Grandmother

mgr manager mgt management

MGUncle Maternal Great Uncle MHA Mental Health America

MHC Mental Health Center; Mental Health Counselor

MHP Mental Health Professional

MI myocardial infarction, mental illness

m-i-l mother-in-law

min minute

MIS Management Information System

misc miscellaneous ml Milliliter

MLC minimal language competencies
MLS Minimal Language Skills

mm millimeter

MM Medication Monitoring

MMGH Moderate Management Group Home

MMPI Minnesota Multiphasic Personality Inventory

MMSE Mini mental status exam

MMW Medication Monitoring Worksheet

MNA Middle night awakening

MNAF Married Native American Female
MNAM Married Native American Male
MNS Medical Necessity Statement

mo(s) month(s)

MOA Memorandum of Agreement

mod moderate

MOM Milk of Magnesia

Mon Monday

MPH Master of Public Health MR Mental Retardation

MRI Magnetic resonance imaging

MS Mental Status, Masters of Science, Multiple Sclerosis,

Middle School

MSE Mental Status Exam

msg message

MSN Master of Science in Nursing

MSSD Model Secondary School for the Deaf

MST Multisystemic Therapy MSW Master of Social Work

mtg meeting mthly monthly

MTS Managed Treatment Services

mur murmur

MUSC Medical University of South Carolina

MUSC-IOP Medical University of South Carolina-Institute of Psychiatry

MV Morris Village mv motor vehicle

MVA Motor vehicle accident

MVit Multivitamin

MVP Mitral Valve Prolapse
MWC Mobile Work Crew
MWF Married White Female
MWM Married White Male

N/A not applicable

N/C no charge, no complaint, no change

N/S No Show

N/V nausea and vomiting NA Narcotics Anonymous

Na Sodium

naa next available appointment

NAMI National Alliance for the Mentally Ill

narc narcotic
nat natural
nat F natural father
nat M Natural Mother

NC/NS No Call/No Show
NCC Nationally Certified Counselor

nec necessary neg negative neuro neurology

Neuro psych Neuropsychiatric, neuropsychiatry

neuro-surg neurosurgery

NIDDM non-insulin dependent Diabetes Mellitus

NKA No Known Allergies NKDA No Known Drug Allergies

NLT Not Later than

NMS Neuroleptic Malignant Syndrome

Noct Night, nocturnal NOK next of kin norm; nl normal

NOS Not Otherwise Specified

Nov November

NP Nurse Practitioner NPO Nothing by Mouth

NR No Refill

NS Nursing Services

NSAID Non-Steroidal Anti-Inflammatory Drug

O Oriented
O.D. right eye
O.S. left eye
O.U. both eyes
O/D Overdose
O2 Oxygen

OA Overeaters Anonymous

OAMHC Orangeburg Area Mental Health Center

OB obstetrics

OB/GYN obstetrics-gynecology

obj(s) objective(s)
OBL Orobuccalingual

OBS Organic Brain Syndrome

Occ occasional

OCD Obsessive-Compulsive Disorder

Oct October

ODD Oppositional Defiant Disorder OHP Out of Home Placement

OP, OPT Outpatient
OR operating room
Org organic, organization

OS Osteoarthritis

OSS Optional State Supplement
OT occupational therapy
OTC over the counter

oz ounce

P pulse p hx past history

P&A Protection and Advocacy

p.o. by mouth p/c phone call P/P Probation/Parole

p/u pick up

PA Physician's Assistant pa physical abuse

PAP Patient Assistance Program part hosp Partial Hospitalization

part. participated pat paternal

PAWS post acute withdrawal symptoms
PBH Patrick B. Harris Psychiatric Hospital

pc after meals

PCIT Parent Child Interaction Therapy

PCMHS Piedmont Center for Mental Health Services

PCN Penicillin

PCP Primary Care Physician PD personality disorder PD personality disorder

PDD Pervasive Development Disorder
PDI Parent-Directed Interaction
PDMHC Pee Dee Mental Health Center
PDR Physician's Desk Reference

PE physical exam

PER pupils equal and round

PERRLA pupils equal, round, react to light and accommodation
PET Positron-Emission Tomography Scan, Parent Effectiveness

Training

Pg Page

PGAunt Paternal Great Aunt
PGF Paternal Grandfather
PGGF Paternal Great Grandfather
PGGM Paternal Great Grandmother

PGM Paternal Grandmother PGUncle Paternal Great Uncle

pharm pharmacy

PhD Doctor of Philosophy

Phenobarb Phenobarbital

phys physical

PI Paranoid Ideation

Plts Platelets pm Afternoon

PMA Psychiatric Medical Assessment

PMA-APRN Psychiatric Medical Assessment-Advanced Practice

Registered Nurse

PMH past medical history

PMO Physician's Medical Orders

p/n physical neglect PO Probation Officer POC Plan of Care

pos rein, + rein Positive Reinforcement

pos, + Positive
pp postpartum
ppd pack per day

PPD Purified Protein Derivative

PPR Private Parts Rule

pr pair

pref preference(s)
Preg Pregnant
prg. Program

PRIDE Skills Praise, Reflect, Imitate, Describe, Enjoy

prin Principal

PRN As needed, whenever necessary

Prog prognosis

Prolix Dec Prolixin Decanoate

PRS Psychosocial Rehabilitative Services

PSE Pigeon Signed English
PSR Patient Service Record

PSS Peer Support Services or Peer Support Specialist

psy eval psychological evaluation

psych Psychiatric psychol psychology pt patient

PTA Parent Teacher Association

pts Pints

PTSD Post Traumatic Stress Disorder

pvt private Px Problem(s)

Q every/each
q.o.d every other day
q.s. Quantity Sufficient
QA Quality Assurance

QCRB Quality of Care Review Board

QM Quality Management

qts Quarts

R right

R.Ph. Registered Pharmacist

R/O, r/o Rule Out

R/S reschedule, rescheduled RA Rheumatoid Arthritis

RBC red blood cells

RBT Rational Behavior Therapy RCF residential care facility

RD Right Deltoid

Re Regarding; Concerning
RET Rational Emotive Therapy

readm Readmission rec'd received

recom recommend, recommendation(s)

ref refer
reg regular
Rehab, Rehabilitation
REM rapid eye movement

Req requested
Res Residence

resp respiratory/respiration(s)
RET rational emotive therapy

RF refill(s)

RILS Restorative Independent Living Skills

RLE right lower extremity
RLQ right lower quadrant
RN Registered Nurse

RN-BC Registered Nurse - Board Certified

ROM range of movement, motion RP Retinitis Pigmentosa

RPS Rehabilitative Psychosocial Services
RPT Rehabilitative Psychosocial Therapy

rpt report

RR Respiratory Rate RRR regular rate and rhythm

RSC Opr Relay South Carolina Operator

RSR Regular Sinus Rhythm
RTC Return to Clinic/Center
RUE right upper extremity

RUOQGM Right Upper Out Quadrant Gluteus Maximus

RUQ right upper quadrant

Rx prescription

S Single

S.O. significant other S/A Sexual Abuse

S/HI, SI/HI Suicidal/Homicidal Ideation, Suicidal Ideation/Homicidal

Ideation

s/p status post

S/S Signs and/or Symptoms

S/S signs/symptoms s/w somewhat

SA Substance Abuse SAA Same as Above

SAC Substance Abuse Counseling SAD Seasonal Affective Disorder SAE Substance Abuse Examination SAMHC Spartanburg Area Mental Health Center SAMHC Spartanburg Area Mental Health Center

Sat Saturday

SBP Sexual Behavior Program
SBR Sexual Behavior Rules
SBS School Based Services

SCAD South Carolina Association of the Deaf SCCB South Carolina Commission of the Blind SCDC South Carolina Department of Corrections

SCDMH SC Dept of Mental Health

sch school

Schiz Schizophrenia

Schiz A/DO Schizoaffective Disorder

Schiz CU Schizophrenia, Chronic Undifferentiated SCSDB South Carolina School for the Deaf and Blind

SE Side Effects

SEE Signed Exact English sep separate, separated

Sept September ses session

SESBI Sutter Eyberg Student Behavior Inventory
SHARE Self Help Association Regarding Emotions

SHHH Self Help for Hard of Hearing

SI, si Suicidal Ideation

sib(s)Sibling(s)sigSignatureSis, sisSister

Sis-i-l Sister in law

SLE Systemic Lupus Erythematosus

SMA blood tests

SNAPs Strengths, Needs, Abilities, Preferences

SOB shortness of breath

soc social sol. Solution son-i-l son-in-law

sp specimen, special

SPD MH Service Plan Development, Service Plan Development

by Non-Physician

spont. spontaneous ss half, 1/2

SS or Soc.Sec. Social Security

SSA Social Security Administration

SSDI Social Security Disability Insurance/Income

SSI Supplemental Security Income

SSRI Selective Serotonin Reuptake Inhibitor STAD Skills Training and Development

STAT immediately

STD sexually transmitted disease

STEP Systematic Training for Effective Parenting

Step brostep brotherStep Fstep fatherStep Mstep motherStep sisstep sisterSub.substance

Sub.q, SQ subcutaneously, subcutaneous

sui, ssuicidalSunSundaysurgsurgerysvcservice

SW Social Worker / Social Work

SWCMHC Santee-Wateree Community Mental Health Center

sx symptom(s) sz seizure

T temperature

T.A. Therapeutic Assistantt.c. therapist cancelledT.O., t.o. Telephone Order

T/C, t/c; telephone call, conversation or Contact

t/o time out

TA Transactional Analysis

tab tablet

TB tuberculosis tbsp Tablespoon

TCA Tricyclic Anti-depressant

TCCMHC Tri-County Community Mental Health Center

TCM Targeted Case Management

TD Tardive Dyskinesia

TDD Telephone Device for the Deaf

tech. technical

TEDP Telecommunications Equipment Distribution Program

Teen-Anon self-help for teen substance abusers

tel. telephone

Temp temperature, temporary

TEP temporary employment program, Transitional Employment

Program

TFC Temporary Foster Care, Therapeutic Foster Care
TF-CBT Trauma Focused Cognitive Behavioral Therapy

TFF Therapeutic Foster Father
TFM Therapeutic Foster Mother
TFTs thyroid function tests
th d/o thought disorder

Th, Ther. therapist

THC Tetrahydrocannabinol, marijuana, cannabis

Thurs Thursday

TIA Transient Ischemic Attack

tid three times a day TLC Toward Local Care

tpr temperature, pulse and respiration TPR Termination of Parental Rights

trans transfer

transp transportation/transport
TS Tourette's Syndrome

tsp teaspoon
TTY Teletypewriter
Tues Tuesday

Tx Plan treatment planning
Tx; tx Treatment, Therapy

U/A, UA Urinalysis

UCLA PTSD University of California, Los Angelos Post Traumatic Stress

Disorder

UDS Urine Drug Screen, urinary screen

unk unknown

UOQ upper outer quadrant UR Utilization Review

URI upper respiratory infection
US Usher's Syndrome (deaf-blind)

UTI urinary tract infection

V.O. verbal order v.s. vital signs

VA Veteran's Administration

vacc vaccination

VAH Veteran's Administration Hospital

VD venereal disease VH, vh visual hallucination

vm voice mail, voice message

vol volume

vol admin voluntary admission VPA Valproic Acid

VR, Voc Rehab Vocational Rehabilitation VRS Video Relay System

vs, vs. versus

vv varicose veins

vx voice

 $egin{array}{lll} W, w & & \mbox{white, wife} \\ w/ & & \mbox{with} \\ w/c & & \mbox{wheelchair} \\ \end{array}$ 

w/d well developed, withdrawal

w/in within

w/n well nourished

w/o without

WAIS Wechsler Adult Intelligence Scale
WARP Wellness Action Recovery Planning
WCMH Waccamaw Center for Mental Health

Wed Wednesday WI walk-in wid widowed

WISC Wechsler Intelligence Scale for Children

wk week
Wkend weekend
wkly weekly
wks weeks

WNL within normal limits

WRAP Wellness Recovery Action Plan

WRAPS-BI Wraparound Services Behavioral Intervention WRAPS-CG Wraparound Services Caregiver Services

WRAPS-CSS Wraparound Services Community Support Services

WRAPS-TDC Wraparound Services Temporary De-escalation Care

WSHPI William S. Hall Psychiatric Institute

wt weight

x times

x1 assist with assistance of 1 staff (2 staff, etc.)

YIT Youth in Transition

y.o. Year(s) Old

yr Year yrly yearly YTD year to date

## **PSYCHOLOGICAL EVALUATIONS**

BIP Background Interference Procedure (of the bender)

BSI Brief Symptom Inventory

BVMG, BENDER Bender Motor-Gestalt Test

CAFAS Child Adolescent Functional Assessment Scale

CAT Children's Apperception Test

D.A.P Draw a Person Test

H-T-P House-Tree-Person Test

ISB Rotter Incomplete Sentences Blank

MCMI II Millon Inventory II

MCI III Millon Inventory III

M.D. Memory for Designs Test

MMP/MMPI-II Minnesota Multiphasic Personality Inventory

PPVT Peabody Picture Vocabulary Test

PIC Personality Inventory for Children

PSI Psychopathic State Inventory

SAT Senior Apperception Test

SIT Slasson Intellignce Test

16PF Sixteen personality Factors Test

TAT Thematic Apperception Test

VINELAND Vineland Social Maturity Test

WAIS Weschsler Adult Intelligence Scale

WAIS-R Weschsler Adult Intelligence Scale – Revised

WISC Wechsler Intelligence Scale for Children

WISC-R III Wechsler Intelligence Scale for Children- Revised

WPPSI Wechsler Preschool & Primary Scale of Intelligence

WRAT WRAT-R Wide Range Achievement Test